



SAFETY DATA SHEET PREMIER
POLY-DEFOAMER™

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Tullco, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Tullco, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

SECTION 1: IDENTIFICATION

TULLCO, INC.
37A OSAGE DRIVE
GREENVILLE, SC 29605
EMERGENCY PHONE: 864 299-8884
TOLL FREE (800) 673-6498

PRODUCT NAME: PREMIER POLY-CUT DEFOAMER™
PRODUCT FORM: MIXTURE
FORMULA: PROPRIETARY

Recommended Use / Restrictions on Use

Multipurpose Foam Control. For professional use only.

SECTION 2: HAZARD(S) IDENTIFICATION

Classification (GHS-US)

Not classified.

Label Elements

GHS-US Labeling

No labeling required.

Other Hazards

Other Hazards Not Contributing to the Classification: May be defatting to the skin. Exposure may aggravate those with pre-existing eye, skin or respiratory conditions.

Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Name	Product identifier (CAS No)	% (w/w)	Classification (GHS-US)
Petroleum distillates		30 - 50	Asp. Tox. 1, H304 ¹

¹Mixture not classified as aspiration hazard due to viscosity.

Full text of H-phrases: see section 16



Remaining components are proprietary, non-hazardous in accordance with paragraph (d) of 29 CFR 1910.1200, and/or present at amounts below reportable limits. Specific chemical identity has been withheld as a trade secret per paragraph (i) of 29 CFR 1910.1200, and will be made available to health professionals in accordance with applicable provisions of paragraph (i).

=====

SECTION 4: FIRST-AID MEASURES

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Do NOT induce vomiting unless directed to by a physician. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects, Acute and Delayed

Symptoms/Injuries After Inhalation: High airborne concentrations of vapors/mists resulting from heating, misting or spraying may cause irritation of the respiratory tract and mucous membranes.

Symptoms/Injuries After Skin Contact: May be defatting to the skin. Prolonged or repeated exposure may dry skin and cause irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion may cause nausea, discomfort and diarrhea.

Chronic Symptoms: No known significant effects or critical hazards.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. Contact poison treatment specialist of large quantities have been ingested or inhaled.

=====

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific Hazards Arising From the Substance or Mixture

Fire Hazard: Not expected to burn unless water is boiled away. The remaining material may be ignitable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Special Protective Equipment and Precautions for Fire-

Fighters Precautionary Measures Fire: Exercise caution when fighting any chemical fire.



Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Other information: Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing vapor, mist, spray.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Eliminate ignition sources. Stop leak if safe to do so. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container tightly closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient	Exposure limits
Petroleum distillates	ACGIH TLV (United States) TWA: 5 mg/m ³ 8 hours. Form: Oil mist, mineral STEL: 10 mg/m ³ 15 minutes. Form: Oil mist, mineral OSHA PEL (United States) TWA: 5 mg/m ³ 8 hours. Form: Oil mist, mineral

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Individual Protection Measures

Personal Protective Equipment : Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection : Wear chemically resistant protective gloves.

Eye Protection : Safety glasses with side shields. If contact is possible, splash goggles should be worn.

Skin and Body Protection : Wear suitable protective clothing based on the task being performed.

Respiratory Protection : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

=====

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance:	White emulsion
Odor:	Bland odor
Odor Threshold:	Not available
pH:	6.6 ±1.0 (2% solution)
Relative Evaporation Rate (butylacetate=1):	Not available
Melting Point:	Not available
Freezing Point:	Not available
Boiling Point:	100°C (212°F)
Flash Point:	> 100°C (212°F)
Auto-ignition Temperature:	Not available
Decomposition Temperature:	Not available
Flammability (solid, gas):	Not available
Lower Flammable Limit:	Not available
Upper Flammable Limit:	Not available
Vapor Pressure:	Not available
Relative Vapor Density at 20 °C:	Not available
Relative Density:	Not available
Specific Gravity:	0.940 ± 0.015
Solubility:	Dispersible
Partition coefficient: n-octanol/water:	Not available
Viscosity:	Not available



Other Information

The data presented in this section above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: May release CO_x, smoke and irritating vapors when heated to decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity: Not classified. Based on available data, the classification criteria are not met. ATE_{mix} (oral) > 5000 mg/kg (No toxicity studies have been conducted on this product).

Skin Corrosion/Irritation: No additional information.

Serious Eye Damage/Irritation: No additional information.

Respiratory or Skin Sensitization: No additional information.

Germ Cell Mutagenicity: No additional information.

Teratogenicity: No additional information.

Carcinogenicity: This material has not been determined to be carcinogenic by IARC, NTP or OSHA.

Specific Target Organ Toxicity (Repeated Exposure): Not available.

Reproductive Toxicity: No additional information.

Specific Target Organ Toxicity (Single Exposure): Not available.

Aspiration Hazard: Not classified (Viscosity @ 40°C > 20.5 mm²/s)

Symptoms/Injuries After Inhalation: High airborne concentrations of vapors/mists resulting from heating, misting or spraying may cause irritation of the respiratory tract and mucous membranes.

Symptoms/Injuries After Skin Contact: May be defatting to the skin. Prolonged or repeated exposure may dry skin and cause irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion may cause nausea, discomfort and diarrhea.

Chronic Symptoms: No known significant effects or critical hazards.

Information on Toxicological Effects - Ingredient(s)



LD50 and LC50 Data:

Petroleum Distillates	
LD50 Dermal Rabbit	> 2000
LD50 Oral Rat	> 5000

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity : Not available.

Persistence and Degradability : Not available.

Bioaccumulative Potential : Not available.

Mobility in Soil : Not available.

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

SARA Section 311/312	Immediate (acute) health hazard
SARA Section 302	This product and its components are not Section 302 reportable
SARA 313	This product and its components are not Section 313 reportable.
Toxic Substances Control Act (TSCA)	The components of this product are listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Neither this product nor its chemical components appear on any US state lists.



International Regulations

The components of this product are listed on the Canadian DSL (Domestic Substances List) inventory.

=====

SECTION 16: OTHER INFORMATION

Revision date: 5/192022

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Asp. Tox. 1	Aspiration hazard Category 1
H304	May be fatal if swallowed and enters airways.

=====

ATTENTION: These Safety Data Sheets are provided for general information only.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. **NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED.** It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.